




LAYOUT NOTES

DRAWING SHOWS 1NO TUBULAR RACK SYSTEM COMPRISING OF:-
TRS1 - TUBULAR RACK WALKWAY
TRS2 - TUBULAR RACK CENTRE SKID
TRS3 - TUBULAR RACK OUTER SKID

ONCE ASSEMBLED & LOCKED TOGETHER ON THE VESSEL DECK, CHAIN RATCHET BINDERS SECURE THE SYSTEM TO THE VESSEL VIA EXSITING VESSEL DECK PADEYES.

ALL SLINGS ARE REMOVED AND STORED INSIDE THE WALKWAYS WHEN UNIT IS IN OPERATION.

ITEM	PART No	DESCRIPTION	QTY
1	TRS1	7.7m TUBULAR RACK WALKWAY	1
2	TRS2	11m TUBULAR RACK CENTRE SKID	1
3	TRS3	11m TUBULAR RACK OUTER SKID	1
4	TRS1-SLINGS	11.3t WLL WIRE ROPE SLING SET	1
5	TRS2-SLINGS	8.5t WLL WIRE ROPE SLING SET	1
6	TRS3-SLINGS	8.5t WLL WIRE ROPE SLING SET	1
7		ISO TWISTLOCK SEMI AUTOMATIC	4
8		30t WLL RATCHET BINDER + CHAIN	2

(VESSEL SIDE BULKHEAD)

DO NOT SCALE
IF IN DOUBT ASK

DESC: DIMENSIONS, FEATURES & SLINGS
UNIT: TRS SYSTEM LAYOUT

www.seenergy.com

SHEET	DATE	DWN	CHKD	APVD	PART No	SIZE	REV
1 OF 3	26/11/2015	S.B	A.T	N.M	TRS	A3	C

C	SCN2026-003	L.D	30/01/2026
B	SCN2019-025	L.D	13/11/2019
A	SCN2019-004	L.D	08/03/2019
REV	SCN NO	BY	DATE

THIS DRAWING IS THE SOLE PROPERTY OF SES ENERGY AND AS SUCH IS SUPPLIED ON THE CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED IN PART OR IN WHOLE OR COMMUNICATED TO ANY OTHER PERSONS WITHOUT WRITTEN CONSENT.


WELD THROAT THICKNESS TO BE EQUAL TO MINIMUM MATERIAL THICKNESS | TOLERANCE LENGTH ≤ 3m ±5mm, LENGTH ≥ 3m ±10mm, ±1° U.O.N | DIMENSIONS IN mm UNLESS OTHERWISE SPECIFIED | CAD DRAWING - DO NOT REVISE MANUALLY

IF IN DOUBT ASK

QTY/PRO: 1 MASS: 12990.00 kg

FEATURES NOTES

DRAWING SHOWS THE KEY FEATURES OF THE COMPLETE SYSTEM FOR ILLUSTRATION PURPOSES ONLY.



ITEM	PART No	DESCRIPTION	QTY
1	TRS1	7.7m TUBULAR RACK WALKWAY	1
2	TRS2	11m TUBULAR RACK CENTRE SKID	1
3	TRS3	11m TUBULAR RACK OUTER SKID	1
4	TRS1-SLINGS	11.3t WLL WIRE ROPE SLING SET	1
5	TRS2-SLINGS	8.5t WLL WIRE ROPE SLING SET	1
6	TRS3-SLINGS	8.5t WLL WIRE ROPE SLING SET	1
7		ISO TWISTLOCK SEMI AUTOMATIC	4
8		30t WLL RATCHET BINDER + CHAIN	2

C	SCN2026-003	L.D	30/01/2026
B	SCN2019-025	L.D	13/11/2019
A	SCN2019-004	L.D	08/03/2019
REV	SCN NO	BY	DATE

DO NOT SCALE
IF IN DOUBT ASK

DESC: DIMENSIONS, FEATURES & SLINGS

UNIT: TRS SYSTEM LAYOUT


THIS DRAWING IS THE SOLE PROPERTY OF SES ENERGY AND AS SUCH IS SUPPLIED ON THE CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED IN PART OR IN WHOLE OR COMMUNICATED TO ANY OTHER PERSONS WITHOUT WRITTEN CONSENT.

WELD THROAT THICKNESS TO BE EQUAL TO MINIMUM MATERIAL THICKNESS | TOLERANCE LENGTH $\leq 3m \pm 5mm$, LENGTH $\geq 3m \pm 10mm$, $\pm 1^\circ$ U.O.N



SHEET	DATE	DWN	CHKD	APVD	PART No	SIZE	REV
2 OF 3	26/11/2015	S.B	A.T	N.M	TRS	A3	C

DIMENSIONS IN mm UNLESS OTHERWISE SPECIFIED | CAD DRAWING - DO NOT REVISE MANUALLY | AS



SLING NOTES

STANDARD 4 LEG WIRE ROPE SLING SETS WITH MASTERLINK.

SLINGS DESIGNED & MANUFACTURED TO DNV GL 2.7-3 (2011)

APPROVED TO COVER THE FOLLOWING SLING SET ANGLES:

MINIMUM SLING ANGLE FROM VERTICAL = 30°

MAXIMUM SLING ANGLE FROM VERTICAL = 45°

ITEM	PART No	DESCRIPTION	QTY
1	TRS1	7.7m TUBULAR RACK WALKWAY	1
2	TRS2	11m TUBULAR RACK CENTRE SKID	1
3	TRS3	11m TUBULAR RACK OUTER SKID	1
4	TRS1-SLINGS	11.3t WLL WIRE ROPE SLING SET	1
5	TRS2-SLINGS	8.5t WLL WIRE ROPE SLING SET	1
6	TRS3-SLINGS	8.5t WLL WIRE ROPE SLING SET	1
7		ISO TWISTLOCK SEMI AUTOMATIC	4
8		30t WLL RATCHET BINDER + CHAIN	2

C	SCN2026-003	L.D	30/01/2026
B	SCN2019-025	L.D	13/11/2019
A	SCN2019-004	L.D	08/03/2019
REV	SCN NO	BY	DATE

DO NOT SCALE
IF IN DOUBT ASK

DESC: DIMENSIONS, FEATURES & SLINGS

UNIT: TRS SYSTEM LAYOUT

THIS DRAWING IS THE SOLE PROPERTY OF SES ENERGY AND AS SUCH IS
SUPPLIED ON THE CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED IN PART
OR IN WHOLE OR COMMUNICATED TO ANY OTHER PERSONS WITHOUT WRITTEN CONSENT.

WELD THROAT THICKNESS TO BE EQUAL TO MINIMUM MATERIAL THICKNESS

TOLERANCE LENGTH ≤ 3m ±5mm, LENGTH ≥ 3m ±10mm, ±1° U.O.N

DIMENSIONS IN mm UNLESS OTHERWISE SPECIFIED

CAD DRAWING - DO NOT REVISE MANUALLY

www.seenergy.com

SHEET	DATE	DWN	CHKD	APVD	PART No	SIZE	REV
3 OF 3	26/11/2015	S.B	A.T	N.M	TRS	A3	C